



SADYNA Mastic 48

This plain, twill, light-filtering fabric is a classic. Perfect for simpler designs or to coordinate with our woven Jacquard patterns. Available in several colours.

Technical properties



Flame retardant



Thermal



Acoustic

Applications Roman blinds - Panel curtains - Valences - Bed runners - Curtains - Cushions - Decorative frames

Composition 100% FR polyester

Weight 320 g/m² **Width** 280 cm

Fabric direction Room high or standard direction **Fitting** ↔ cm ↓ cm

Maintenance advice     

Labels France Terre Textile (R016)

Certifications OEKO-TEX STANDARD 100 (CQ 1006/1)

Minimum order 1 linear(s) meter(s)

Technical characteristics

Flame retardant	M1 / B1 / IMO PASS
Acoustic	Noise reduction coefficient (NRC) : 0.88
	Weighted sound absorption coefficient (a _w) : 0.85
	Acoustic absorption class (a _w) : B
Optical index	Light reflexion : 15 %
	Light absorption : 84 %
	Light transmission : 1 %
Thermal index	Solar reflexion : 45 %
	Solar absorption : 41 %
	Solar transmission : 14 %
	UV transmission : 0 %
	Gtot : Gt 42 % Fc 72 %
Resilience	Lightfastness (units Class/8) 6
	Pilling 2-3
	Dimensional Stability (%)
	Warp -1.5
	Weft 0
	Martindale (Cycles) 20000
	Breaking Elongation
	Warp 24
	Weft 22
	Breaking load (daN)
	Warp 150
Weft 160	



(Headquarters) SOTEXPRO - 510 route de Montchal - 42360 PANISSIÈRES - FRANCE - +33 4 77 27 60 60

Non-contractual photos and colors - Indicative fitting - Fitting may vary depending on support selected