OPALE 2

OPALE 2 Océan 91


OPALE 2 Cyan 90


OPALE 2 Cactus 09


OPALE 2 Mousse 92


OPALE 2 Agrume 69


OPALE 2 Terracotta 65


OPALE 2 Tomette 60


OPALE 2 Pivoine 57


OPALE 2 Rubis 08


OPALE 2 Aubergine 27


OPALE 2 Anthracite 38


OPALE 2 Souris 40

OPALE 2 Nacre 04


OPALE 2 Crème 02

OPALE 2 Sable 67


OPALE 2 Beige 63


OPALE 2 Brun 23


OPALE 2 Mastic 48

OPALE 2 Marine 25


OPALE 2 Paille 06

sotexpro

(Headquarters) SOTEXPRO - 510 route de Montchal - 42360 PANISSIÈRES - FRANCE - +33 4 77 27 60 60

Non-contractual photos and colors - Indicative fitting - Fitting may vary depending on support selected

OPALE 2


OPALE 2 Titanium 98


OPALE 2 Noir 36

OPALE 2 emeraude 88


OPALE 2 taupe 95

OPALE 2 absinthe 132


OPALE 2 lin 11

sotexpro

(Headquarters) SOTEXPRO - 510 route de Montchal - 42360 PANISSIÈRES - FRANCE - +33 4 77 27 60 60

Non-contractual photos and colors - Indicative fitting - Fitting may vary depending on support selected



OPALE 2 Moka 12

This plain fabric blocks out light very effectively and is available in a wide variety of colours.

Technical properties

Flame retardant

Applications Roman blinds - Roller blinds - Panel curtains - Curtains

Composition 100% polyester with white flocked acrylic backing

Weight 290 g/m² Width 140 cm

Fabric direction Standard Direction Fitting ↔ cm ↕ cm

Maintenance advice

Minimum order 1 linear(s) metter(s)

Technical characteristics

Flame retardant	M1 / IMO PASS	
Optical index	Light reflexion :	**72 %**
	Light absorption :	**28 %**
	Light transmission :	**0 %**
Thermal index	Solar reflexion :	**65 %**
	Solar absorption :	**35 %**
	Solar transmission :	**0 %**
	UV transmission :	**0 %**
	Gtot :	**Gt 35 % Fc 60 %**
Resilience	Lightfastness (units Class/8)	**5**
	Breaking Elongation	
	Warp	**35**
	Weft	**11**