



3141 bpi 00
Printing support



MUNA Rouge 21
Print pattern



Printing support 3141 bpi 00 Print pattern MUNA Rouge 21

Sheer fabric support for digital printing.

Technical properties



Flame retardant Transparent

Applications Roman blinds - Panel curtains - Curtains

Composition polyester/polyester FR

Weight 50 g/m²

Width 290 cm

Fabric direction Room High Direction

Fitting ↔ cm ↓ cm

Maintenance advice     

Label France Terre Textile / OEKO-TEX STANDARD 100

Minimum order 25 linear(s) meter(s)



Visual not taking into account the printing medium, the final rendering may vary according to the chosen medium.

Technical characteristics

Flame retardant	M1 / B1 / IMO PASS																				
Optical index	<table> <tr> <td>Light reflexion :</td> <td>25 %</td> </tr> <tr> <td>Light absorption :</td> <td>4 %</td> </tr> <tr> <td>Light transmission :</td> <td>71 %</td> </tr> </table>	Light reflexion :	25 %	Light absorption :	4 %	Light transmission :	71 %														
Light reflexion :	25 %																				
Light absorption :	4 %																				
Light transmission :	71 %																				
Transparent veil	Yes																				
Thermal index	<table> <tr> <td>Solar reflexion :</td> <td>25 %</td> </tr> <tr> <td>Solar absorption :</td> <td>3 %</td> </tr> <tr> <td>Solar transmission :</td> <td>72 %</td> </tr> <tr> <td>UV transmission :</td> <td>65 %</td> </tr> <tr> <td>Gtot :</td> <td>Gt 50 % Fc 85 %</td> </tr> </table>	Solar reflexion :	25 %	Solar absorption :	3 %	Solar transmission :	72 %	UV transmission :	65 %	Gtot :	Gt 50 % Fc 85 %										
Solar reflexion :	25 %																				
Solar absorption :	3 %																				
Solar transmission :	72 %																				
UV transmission :	65 %																				
Gtot :	Gt 50 % Fc 85 %																				
Resilience	<table> <tr> <td>Lightfastness (units Class/8)</td> <td>6</td> </tr> <tr> <td>Dimensional Stability (%)</td> <td></td> </tr> <tr> <td> Warp</td> <td>-1</td> </tr> <tr> <td> Weft</td> <td>0</td> </tr> <tr> <td>Breaking Elongation</td> <td></td> </tr> <tr> <td> Warp</td> <td>28</td> </tr> <tr> <td> Weft</td> <td>34</td> </tr> <tr> <td>Breaking load (daN)</td> <td></td> </tr> <tr> <td> Warp</td> <td>30</td> </tr> <tr> <td> Weft</td> <td>36</td> </tr> </table>	Lightfastness (units Class/8)	6	Dimensional Stability (%)		Warp	-1	Weft	0	Breaking Elongation		Warp	28	Weft	34	Breaking load (daN)		Warp	30	Weft	36
Lightfastness (units Class/8)	6																				
Dimensional Stability (%)																					
Warp	-1																				
Weft	0																				
Breaking Elongation																					
Warp	28																				
Weft	34																				
Breaking load (daN)																					
Warp	30																				
Weft	36																				

Print pattern MUNA



MUNA Cactus 36



MUNA soleil 90



MUNA gris 97



MUNA lin 11



MUNA Melon 22



MUNA souris 31



MUNA lagon 110



MUNA jade 116



MUNA terre 107



MUNA céladon 135



MUNA Coco 142



MUNA Sable 67



MUNA Saumon 143



MUNA Sisal 140



MUNA Tourterelle 138



MUNA Ardoise 87



MUNA Tilleul 103



MUNA Chanvre 72



MUNA Graphite 77



MUNA Olive 61



(Headquarters) SOTEXPRO - 510 route de Montchal - 42360 PANISSIÈRES - FRANCE - +33 4 77 27 60 60
(Showroom) Le LAB' SOTEXPRO - 4 rue du Mail - 75002 PARIS - FRANCE

Non-contractual photos and colors - Indicative fitting - Fitting may vary depending on support selected

Print pattern MUNA



MUNA Lierre 124



MUNA Indigo 144



MUNA Sienne 29



MUNA Saphir 106



MUNA Violine 105



MUNA Titanium 98



MUNA Acier 18



(Headquarters) SOTEXPRO - 510 route de Montchal - 42360 PANISSIÈRES - FRANCE - +33 4 77 27 60 60
(Showroom) Le LAB' SOTEXPRO - 4 rue du Mail - 75002 PARIS - FRANCE

Non-contractual photos and colors - Indicative fitting - Fitting may vary depending on support selected