



3141 bpi 00
Printing support



6052 Vert 24
Print pattern

Printing support 3141 bpi 00 Print pattern 6052 Vert 24

Sheer fabric support for digital printing.

Technical properties



Flame retardant Transparent

Applications Roman blinds - Panel curtains - Curtains

Composition polyester/polyester FR

Weight 50 g/m²

Width 290 cm

Fabric direction Room High Direction

Fitting ↔ 32.0 cm ↓ 32.0 cm

Maintenance advice     

Label France Terre Textile / OEKO-TEX STANDARD 100

Minimum order 25 linear(s) meter(s)



Visual not taking into account the printing medium, the final rendering may vary according to the chosen medium.

Technical characteristics

| | | |
|------------------|-------------------------------|-----------------|
| Flame retardant | M1 / B1 / IMO PASS | |
| Optical index | Light reflexion : | 25 % |
| | Light absorption : | 4 % |
| | Light transmission : | 71 % |
| Transparent veil | Yes | |
| Thermal index | Solar reflexion : | 25 % |
| | Solar absorption : | 3 % |
| | Solar transmission : | 72 % |
| | UV transmission : | 65 % |
| | Gtot : | Gt 50 % Fc 85 % |
| Resilience | Lightfastness (units Class/8) | 6 |
| | Dimensional Stability (%) | |
| | Warp | -1 |
| | Weft | 0 |
| | Breaking Elongation | |
| | Warp | 28 |
| | Weft | 34 |
| | Breaking load (daN) | |
| | Warp | 30 |
| | Weft | 36 |