

BOREAL BPI 00
Printing support



SONG Lierre 124
Print pattern

Printing support **BOREAL BPI 00**
Print pattern **SONG Lierre 124**

Dimout support for digital printing

Technical properties

Flame retardant | Thermal | Acoustic

Applications Roman blinds - Valences - Lining - Bed runners - Curtains

Composition 100% FR polyester

Weight 260 g/m²

Width 145 cm

Fabric direction Standard Direction

Fitting ↔ 35.0 cm ↕ 35.0 cm

Maintenance advice

Label OEKO-TEX STANDARD 100

Minimum order 25 linear(s) metter(s)

Visual not taking into account the printing medium, the final rendering may vary according to the chosen medium.

Technical characteristics

Flame retardant	M1 / B1 / IMO PASS / UNI 8456 / 9174 Classe Uno	
Acoustic	Noise reduction coefficient (NRC) :	**0.88**
Resilience	Dimentional Stability (%)	
	Warp	**0**
	Weft	**0**
	Breaking Elongation	
	Warp	**17**
	Weft	**27**
	Breaking load (daN)	
	Warp	**87**
	Weft	**110**

Print pattern SONG


SONG Opéra 104


SONG Agrume 69


SONG Framboise 81


SONG Menthe 122


SONG Naturel 26


SONG Navy 120


SONG Océan 91


SONG Orage 123


SONG Orange 15


SONG Prairie 125


SONG Prune 84


SONG Sanguine 05


SONG Soleil 127


SONG Titanium 98


SONG Violine 105


SONG Jade 116


SONG Sapin 126

SONG Tilleul 103


SONG maïs 37

sotexpro

(Headquarters) SOTEXPRO - 510 route de Montchal - 42360 PANISSIÈRES - FRANCE - +33 4 77 27 60 60

Non-contractual photos and colors - Indicative fitting - Fitting may vary depending on support selected