




BORNEO BPI 00
Printing support



SONG maïs 37
Print pattern

Printing support **BORNEO BPI 00** Print pattern **SONG maïs 37**

Technical properties



Flame retardant



Thermal



Acoustic

Applications Roman blinds - Curtains

Composition 100% FR polyester

Weight 440 g/m²

Width 280 cm

Fabric direction Room high or standard direction

Fitting ↔ 35.0 cm ↓ 35.0 cm

Maintenance advice    

Label OEKO-TEX STANDARD 100

Minimum order 25 linear(s) meter(s)



Visual not taking into account the printing medium, the final rendering may vary according to the chosen medium.

Technical characteristics

| | |
|-----------------|---|
| Flame retardant | M1 / B1 / IMO PASS / UNI 8456 / 9174 Classe Uno |
| Acoustic | Noise reduction coefficient (NRC) : 0.89 |
| Optical index | Light reflexion : 60 % |
| | Light absorption : 40 % |
| | Light transmission : 0 % |
| Thermal index | Solar reflexion : 56 % |
| | Solar absorption : 44 % |
| | Solar transmission : 0 % |
| | UV transmission : 0 % |
| | Gtot : Gt 39 % Fc 65 % |
| Resilience | Lightfastness (units Class/8) 6 |
| | Dimensional Stability (%) |
| | Warp -0.5 |
| | Weft 0 |
| | Breaking Elongation |
| | Warp 31 |
| | Weft 0 |
| | Breaking load (daN) |
| | Warp 130 |
| Weft 250 | |

Print pattern SONG



SONG Opéra 104



SONG Agrume 69



SONG Framboise 81



SONG Lierre 124



SONG Menthe 122



SONG Naturel 26



SONG Navy 120



SONG Océan 91



SONG Orage 123



SONG Orange 15



SONG Prairie 125



SONG Prune 84



SONG Sanguine 05



SONG Soleil 127



SONG Titanium 98



SONG Violine 105



SONG Jade 116



SONG Sapin 126



SONG Tilleul 103



sotexpro

(Headquarters) SOTEXPRO - 510 route de Montchal - 42360 PANISSIÈRES - FRANCE - +33 4 77 27 60 60
(Showroom) Le LAB' SOTEXPRO - 4 rue du Mail - 75002 PARIS - FRANCE

Non-contractual photos and colors - Indicative fitting - Fitting may vary depending on support selected