



**BORNEO BPI 00**  
Printing support



**6021 Beige 63**  
Print pattern

## Printing support **BORNEO BPI 00** Print pattern **6021 Beige 63**

### Technical properties



Flame retardant



Thermal



Acoustic

**Applications** Roman blinds - Curtains

**Composition** 100% FR polyester

**Weight** 440 g/m<sup>2</sup>

**Width** 280 cm

**Fabric direction** Room high or standard direction

**Fitting** ↔ 20.0 cm ↓ 20.0 cm

**Maintenance advice**    

**Label** OEKO-TEX STANDARD 100

**Minimum order** 25 linear(s) meter(s)



Visual not taking into account the printing medium, the final rendering may vary according to the chosen medium.

## Technical characteristics

|                 |   |
|-----------------|---|
| Flame retardant | M1 / B1 / IMO PASS / UNI 8456 / 9174 Classe Uno |
| Acoustic        | Noise reduction coefficient (NRC) : <b>0.89</b> |
| Optical index   | Light reflexion : <b>60 %</b>                   |
|                 | Light absorption : <b>40 %</b>                  |
|                 | Light transmission : <b>0 %</b>                 |
| Thermal index   | Solar reflexion : <b>56 %</b>                   |
|                 | Solar absorption : <b>44 %</b>                  |
|                 | Solar transmission : <b>0 %</b>                 |
|                 | UV transmission : <b>0 %</b>                    |
|                 | Gtot : <b>Gt 39 % Fc 65 %</b>                   |
| Resilience      | Lightfastness (units Class/8) <b>6</b>          |
|                 | Dimensional Stability (%)                       |
|                 | Warp <b>-0.5</b>                                |
|                 | Weft <b>0</b>                                   |
|                 | Breaking Elongation                             |
|                 | Warp <b>31</b>                                  |
|                 | Weft <b>0</b>                                   |
|                 | Breaking load (daN)                             |
|                 | Warp <b>130</b>                                 |
| Weft <b>250</b> |   |