



COLLEGE Framboise 81

This light-filtering fabric is available in a range of several colours, providing you with some great decoration possibilities.

Technical properties



Flame retardant



Thermal

Applications Roman blinds - Panel curtains - Curtains - Decorative frames

Composition 100% FR polyester

Weight 200 g/m² **Width** 140 cm / 280 cm

Fabric direction Room high or standard direction **Fitting** ↔ cm ↓ cm

Maintenance advice     

Labels France Terre Textile (R016)

Certifications OEKO-TEX STANDARD 100 (CQ 1006/1)

Minimum order 1 linear(s) meter(s)

Technical characteristics

| | | |
|-----------------|---|-----------------|
| Flame retardant | M1 / B1 / IMO PASS / UNI 8456 / 9174 Classe Uno | |
| Optical index | Light reflexion : | 21 % |
| | Light absorption : | 71 % |
| | Light transmission : | 8 % |
| Thermal index | Solar reflexion : | 43 % |
| | Solar absorption : | 35 % |
| | Solar transmission : | 22 % |
| | UV transmission : | 8 % |
| | Gtot : | Gt 43 % Fc 73 % |
| Resilience | Lightfastness (units Class/8) | 6 |
| | Dimensional Stability (%) | |
| | Warp | -2.5 |
| | Weft | -0.5 |
| | Breaking Elongation | |
| | Warp | 23 |
| | Weft | 24 |
| | Breaking load (daN) | |
| | Warp | 93 |
| Weft | 120 | |



(Headquarters) SOTEXPRO - 510 route de Montchal - 42360 PANISSIÈRES - FRANCE - +33 4 77 27 60 60
(Showroom) Le LAB' SOTEXPRO - 4 rue du Mail - 75002 PARIS - FRANCE

Non-contractual photos and colors - Indicative fitting - Fitting may vary depending on supports selected