



LY BPI 00  
Printing support



YENDI Sapin 126  
Print pattern



## Printing support **LY BPI 00** Print pattern **YENDI Sapin 126**

Fine linen look sheer. The weaving of the LY is slightly textured which allows it to be easily printed by sublimation

### Technical properties



Flame retardant    Transparent

**Applications** Roman blinds - Panel curtains - Curtains

**Composition** 100% polyester/polyester FR

**Weight** 90 g/m<sup>2</sup>

**Width** 290 cm

**Fabric direction** Room High Direction

**Fitting** ↔ 24.0 cm ↓ 20.0 cm

**Maintenance advice**     

**Label** France Terre Textile / OEKO-TEX STANDARD 100

**Minimum order** 25 linear(s) meter(s)



Visual not taking into account the printing medium, the final rendering may vary according to the chosen medium.

## Technical characteristics

|                  |                               |    |
|------------------|-------------------------------|----|
| Flame retardant  | M1 / B1 / IMO PASS            |    |
| Transparent veil | Yes                           |    |
| Resilience       | Lightfastness (units Class/8) | 6  |
|                  | Dimensional Stability (%)     |    |
|                  | Warp                          | 0  |
|                  | Weft                          | 0  |
|                  | Breaking Elongation           |    |
|                  | Warp                          | 69 |
|                  | Weft                          | 58 |
|                  | Breaking load (daN)           |    |
|                  | Warp                          | 47 |
|                  | Weft                          | 24 |

# Print pattern YENDI



YENDI Anis 62



YENDI Lagon 110



YENDI Lilas 19



YENDI Opéra 104



YENDI Pacifique 54



YENDI Sanguine 05



YENDI Soleil 127



YENDI Terre 107



(Headquarters) SOTEXPRO - 510 route de Montchal - 42360 PANISSIÈRES - FRANCE - +33 4 77 27 60 60  
(Showroom) Le LAB' SOTEXPRO - 4 rue du Mail - 75002 PARIS - FRANCE

*Non-contractual photos and colors - Indicative fitting - Fitting may vary depending on support selected*