




NATTE bpi 00
Printing support



MIA Multico 98
Print pattern

Printing support **NATTE bpi 00** Print pattern **MIA Multico 98**

This light-filtering fabric serves as a print medium.

Technical properties



Flame retardant

Applications Roman blinds - Panel curtains - Bedspreads - Valences - Bed runners
- Curtains - Cushions

Composition 100% FR polyester

Weight 230 g/m²

Width 140 cm

Fabric direction Standard Direction

Fitting ↔ 40.0 cm ↓ 40.0 cm

Maintenance advice     

Label France Terre Textile / OEKO-TEX STANDARD 100

Minimum order 25 linear(s) meter(s)



Visual not taking into account the printing medium, the final rendering may vary according to the chosen medium.

Technical characteristics

| | | |
|---------------------------|-------------------------------------|-------------------------------|
| Flame retardant | M1 / IMO PASS | |
| Acoustic | Noise reduction coefficient (NRC) : | 0.90 |
| Optical index | Light reflexion : | 5 % |
| | Light absorption : | 94 % |
| | Light transmission : | 1 % |
| Thermal index | Solar reflexion : | 39 % |
| | Solar absorption : | 48 % |
| | Solar transmission : | 13 % |
| | UV transmission : | 0 % |
| | Gtot : | Gt 48 % Fc 69 % |
| | Resilience | Lightfastness (units Class/8) |
| Pilling | | 5 |
| Dimensional Stability (%) | | |
| Warp | | -2 |
| Weft | | -1 |
| Martindale (Cycles) | | 40000 |
| Breaking Elongation | | |
| Warp | | 38 |
| Weft | | 21 |
| Breaking load (daN) | | |
| Warp | | 150 |
| Weft | | 93 |