POL BPI 00
Printing support

MUNA Coco 142
Print pattern

Printing support **POL BPI 00**
Print pattern **MUNA Coco 142**

Print support.

Technical properties

Flame retardant

Applications Bedspreads - Lining - Bed runners

Composition 100% polyester

Weight 80 g/m²

Width 280 cm

Fabric direction Room High Direction

Fitting ↔ 0.0 cm ↕ 0.0 cm

Maintenance advice

Label France Terre Textile

Minimum order 25 linear(s) metter(s)

Visual not taking into account the printing medium, the final rendering may vary according to the chosen medium.

Technical characteristics

Flame retardant	NF 12952	
Optical index	Light reflexion :	**0 %**
	Light absorption :	**0 %**
	Light transmission :	**0 %**
Thermal index	Solar reflexion :	**0 %**
	Solar absorption :	**0 %**
	Solar transmission :	**0 %**
	UV transmission :	**0 %**
	Gtot :	**Gt 0 % Fc 0 %**
Resilience	Lightfastness (units Class/8)	**0**
	Martindale (Cycles)	**0**
	Breaking Elongation	
	Warp	**0**
	Weft	**0**
	Breaking load (daN)	
	Warp	**0**
	Weft	**0**

Print pattern MUNA

MUNA Cactus 36

MUNA soleil 90


MUNA gris 97


MUNA lin 11


MUNA Melon 22


MUNA souris 31


MUNA lagon 110


MUNA jade 116

MUNA terre 107


MUNA céladon 135

MUNA Sable 67

MUNA Saumon 143

MUNA Sisal 140

MUNA Tourterelle 138


MUNA Ardoise 87

MUNA Tilleul 103

MUNA Chanvre 72

MUNA Graphite 77

MUNA Olive 61

MUNA Lierre 124

sotexpro

(Headquarters) SOTEXPRO - 510 route de Montchal - 42360 PANISSIÈRES - FRANCE - +33 4 77 27 60 60
(Showroom) Le LAB' SOTEXPRO - 4 rue du Mail - 75002 PARIS - FRANCE

Non-contractual photos and colors - Indicative fitting - Fitting may vary depending on support selected

Print pattern MUNA

MUNA Indigo 144

MUNA Sienne 29

MUNA Rouge 21

MUNA Saphir 106


MUNA Violine 105


MUNA Titanium 98

MUNA Acier 18

sotexpro

(Headquarters) SOTEXPRO - 510 route de Montchal - 42360 PANISSIÈRES - FRANCE - +33 4 77 27 60 60
(Showroom) Le LAB' SOTEXPRO - 4 rue du Mail - 75002 PARIS - FRANCE

Non-contractual photos and colors - Indicative fitting - Fitting may vary depending on support selected