



# SIENTO LITO Cordage 172

Light-filtering fabric made from recycled yarns

## Technical properties



Flame retardant





Recycled fabrics

**Applications** Roman blinds - Panel curtains - Curtains - Decorative frames

**Composition** 80% recycled polyester FR / 20% polyester FR

**Weight** 330 g/m<sup>2</sup> **Width** 290 cm

**Fabric direction** Standard Direction **Fitting** ↔ cm ↓ cm

**Maintenance advice**     

**Labels** France Terre Textile (R016)

**Certifications** OEKO-TEX STANDARD 100 Recyclé (CQ 1006/2)

**Minimum order** 1 linear(s) meter(s)

## Technical characteristics

Flame retardant	M1 / B1 / IMO PASS / UNI 8456 / 9174 Classe Uno
Acoustic	Noise reduction coefficient (NRC) : <b>0.76</b>
	Weighted sound absorption coefficient (a <sub>w</sub> ) : <b>0.70</b>
	Acoustic absorption class (a <sub>w</sub> ) : <b>C</b>
Optical index	Light reflexion : <b>48 %</b>
	Light absorption : <b>41 %</b>
	Light transmission : <b>11 %</b>
Thermal index	Solar reflexion : <b>55 %</b>
	Solar absorption : <b>25 %</b>
	Solar transmission : <b>20 %</b>
	UV transmission : <b>2 %</b>
	Gtot : <b>Gt 39 % Fc 67 %</b>
Resilience	Lightfastness (units Class/8) <b>5</b>
	Pilling <b>1</b>
	Dimensional Stability (%)
	Warp <b>-1</b>
	Weft <b>-0.5</b>
	Martindale (Cycles) <b>20000</b>
	Breaking Elongation
	Warp <b>49</b>
	Weft <b>34</b>
	Breaking load (daN)
	Warp <b>140</b>
	Weft <b>79</b>



(Headquarters) SOTEXPRO - 510 route de Montchal - 42360 PANISSIÈRES - FRANCE - +33 4 77 27 60 60  
(Showroom) Le LAB' SOTEXPRO - 4 rue du Mail - 75002 PARIS - FRANCE

Non-contractual photos and colors - Indicative fitting - Fitting may vary depending on supports selected