



# SIENTO LITO Lin 11

Light-filtering fabric made from recycled yarns

## Technical properties



Flame retardant



Recycled fabrics

**Applications** Roman blinds - Panel curtains - Curtains - Decorative frames

**Composition** 80% recycled polyester FR / 20% polyester FR

**Weight** 330 g/m<sup>2</sup> **Width** 290 cm

**Fabric direction** Room High Direction **Fitting** ↔ cm ↓ cm

**Maintenance advice**    

**Labels** France Terre Textile (R016)

**Certifications** OEKO-TEX STANDARD 100 Recyclé (CQ 1006/2)

**Minimum order** 1 linear(s) meter(s)

## Technical characteristics

Flame retardant	M1 / B1 / IMO PASS / UNI 8456 / 9174 Classe Uno
Acoustic	Noise reduction coefficient (NRC) : <b>0.76</b> Weighted sound absorption coefficient (a <sub>w</sub> ) : <b>0.70</b> Acoustic absorption class (a <sub>w</sub> ) : <b>C</b>
Optical index	Light reflexion : <b>48 %</b> Light absorption : <b>41 %</b> Light transmission : <b>11 %</b>
Thermal index	Solar reflexion : <b>55 %</b> Solar absorption : <b>25 %</b> Solar transmission : <b>20 %</b> UV transmission : <b>2 %</b> Gtot : <b>Gt 39 % Fc 67 %</b>
Resilience	Lightfastness (units Class/8) <b>5</b> Pilling <b>1</b> Dimensional Stability (%) Warp <b>-1</b> Weft <b>-0.5</b> Martindale (Cycles) <b>20000</b> Breaking Elongation Warp <b>49</b> Weft <b>34</b> Breaking load (daN) Warp <b>140</b> Weft <b>79</b>



(Headquarters) SOTEXPRO - 510 route de Montchal - 42360 PANISSIÈRES - FRANCE - +33 4 77 27 60 60  
(Showroom) Le LAB' SOTEXPRO - 4 rue du Mail - 75002 PARIS - FRANCE

Non-contractual photos and colors - Indicative fitting - Fitting may vary depending on supports selected