




TAO BPI 00
Support d'impression



SCOURTIN Brun 23
Motif d'impression



Support d'impression **TAO BPI 00** Motif d'impression **SCOURTIN Brun** **23**

support d'impression velours non classé

Applications Store bateau - Parois japonaises - Rideaux

Composition 100 % polyester non classé

Poids 465 g/m²

Laize 132 cm

Sens Sens normal

Raccord ↔ cm ↓ cm

Conseils d'entretien     

Label

Minimum commande 25 mètre(s) linéaire(s)



Visuel ne prenant pas en compte le support d'impression, le rendu final pouvant varier en fonction du support choisi.

Caractéristiques techniques

Résistance	Solidité lumière (unités Class/8)	5
	Boulochage	5
	Martindale (Cycles)	60000

Motif d'impression SCOURTIN



SCOURTIN Beige 63



SCOURTIN Fuchsia 33



SCOURTIN Sapin 126



SCOURTIN Bergamote
121



SCOURTIN Anthracite
38




SCOURTIN Violine 105




SCOURTIN Pacifique 54




SCOURTIN Rose 129




SCOURTIN Blanc 01




SCOURTIN Lin 11




SCOURTIN Naturel 26




SCOURTIN Citrouille
136




SCOURTIN Turquoise 53




SCOURTIN Hortensia
134




SCOURTIN Orage 123




SCOURTIN Rubis 59




SCOURTIN Ficelle 09



SCOURTIN Maïs 37



SCOURTIN Céladon 135




SCOURTIN Ebene 113




(Headquarters) SOTEXPRO - 510 route de Montchal - 42360 PANISSIÈRES - FRANCE - +33 4 77 27 60 60
(Showroom) Le LAB' SOTEXPRO - 4 rue du Mail - 75002 PARIS - FRANCE

Non-contractual photos and colors - Indicative fitting - Fitting may vary depending on support selected


Motif d'impression SCOURTIN




SCOURTIN Tourterelle
138



SCOURTIN Titanium 98



SCOURTIN Lagon 110



SCOURTIN Gris 97



(Headquarters) SOTEXPRO - 510 route de Montchal - 42360 PANISSIÈRES - FRANCE - +33 4 77 27 60 60
(Showroom) Le LAB' SOTEXPRO - 4 rue du Mail - 75002 PARIS - FRANCE

Non-contractual photos and colors - Indicative fitting - Fitting may vary depending on support selected